



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: SOS CoPacking Solutions
Address: 16386 Downey Avenue
Paramount, CA 90723


ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: PF REAL MEAL
Product Code: N/A
Batch/Lot: 36019-1
MQL Accession: 200715-0015

PO#: N/A
Sample Description: FG
Rush: 24HR
Received Date: 07/15/20

Test Requested:	Test Method:	Specification:	Results:
Lead	MQLTM-0278 By ICP-MS	N/A	0.032 ppm
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.024 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	0.113 ppm
Mercury	MQLTM-0278 By ICP-MS	N/A	0.006 ppm

Prepared By:


Sofya Makaryan/Document Control Specialist

JUL 16 2020

07/16/20

Reviewed By:


Sade Rodriguez/QA Reviewer

JUL 16 2020

07/16/20

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.